

PHYSICS - SECTION - A (Code: Q-3)

1. In a vernier calipers, $(N + 1)$ divisions of vernier scale coincide with N divisions of main scale. If 1 MSD represents 0.1 mm, the vernier constant (in cm) is

- (1) $\frac{1}{10N}$ (2) $\frac{1}{100(N+1)}$
 (3) $100N$ (4) $10(N+1)$

2. If the monochromatic source in Young's double slit experiment is replaced by white light, then

- (1) Interference pattern will disappear.
 (2) There will be a central dark fringe surrounded by a few coloured fringes.
(3) There will be a central bright white fringe surrounded by a few coloured fringes.
 (4) All bright fringes will be of equal width.


3. A logic circuit provides the output Y as per the following truth table

A	B	Y
0	0	1
0	1	0
1	0	1
1	1	0

The expression for the output Y is


- (1) $A.B + \bar{A}$ (2) $A.\bar{B} + \bar{A}$
(3) \bar{B} (4) B

4. The terminal voltage of the battery, whose emf is 10 V and internal resistance 1 Ω , when connected through an external resistance of 4 Ω as shown in the figure is



- (1) 4 V (2) 6 V
(3) 8 V (4) 10 V

5. In a uniform magnetic field of 0.049 T, a magnetic needle performs 20 complete oscillations in 5 seconds as shown. The moment of inertia of the needle is $9.8 \times 10^{-6} \text{ kgm}^2$. If the magnitude of magnetic moment of the needle is $x \times 10^{-5} \text{ Am}^2$, then the value of ' x ' is




- (1) $5\pi^2$ (2) $128\pi^2$
 (3) $50\pi^2$ **(4) $1280\pi^2$**

6. A wire of length ' l ' and resistance 100 Ω is divided into 10 equal parts. The first 5 parts are connected in series while the next 5 parts are connected in parallel. The two combinations are again connected in series. The resistance of this final combination is

- (1) 26 Ω **(2) 52 Ω**
 (3) 55 Ω (4) 60 Ω

7. A horizontal force 10 N is applied to a block A as shown in figure. The mass of blocks A and B are 2 kg and 3 kg respectively. The blocks slide over a frictionless surface. The force exerted by block A on block B is



- (1) Zero (2) 4 N
(3) 6 N (4) 10 N


8. A tightly wound 100 turns coil of radius 10 cm carries a current of 7 A. The magnitude of the magnetic field at the centre of the coil is (Take permeability of free space as $4\pi \times 10^{-7} \text{ SI units}$)

- (1) 44 mT
 (2) 4.4 T
(3) 4.4 mT
 (4) 44 T

9. In an ideal transformer, the turns ratio is $\frac{N_p}{N_s} = \frac{1}{2}$. The ratio $V_s : V_p$ is equal to (the symbols carry their usual meaning)

(1) 1 : 2 (2) 2 : 1
(3) 1 : 1 (4) 1 : 4

10. The graph which shows the variation of $\left(\frac{1}{\lambda^2}\right)$ and its kinetic energy, E is (where λ is de Broglie wavelength of a free particle)



Ans: (4)

11. Given below are two statements:

Statement I: Atoms are electrically neutral as they contain equal number of positive and negative charges.


Statement II: Atoms of each element are stable and emit their characteristic spectrum.

- (1) Both Statement I and Statement II are correct
(2) Both Statement I and Statement II are incorrect
(3) Statement I is correct but Statement II is incorrect
(4) Statement I is incorrect but Statement II is correct

12. A bob is whirled in a horizontal plane by means of a string with an initial speed of ω rpm. The tension in the string is T . If speed becomes 2ω while keeping the same radius, the tension in the string becomes

(1) T (2) $4T$
(3) $\frac{T}{4}$ (4) $\sqrt{2}T$


13. Consider the following statements A and B and identify the correct answer



- A. For a solar-cell, the I-V characteristics lies in the IV quadrant of the given graph.
B. In a reverse biased *pn* junction diode, the current measured in (μA), is due to majority charge carriers.

- (1) A is correct but B is incorrect
(2) A is incorrect but B is correct
(3) Both A and B are correct
(4) Both A and B are incorrect


14. A thermodynamic system is taken through the cycle *abcd*. The work done by the gas along the path *bc* is



- (1) Zero (2) 30 J
(3) -90 J (4) -60 J

15. A thin spherical shell is charged by some source. The potential difference between the two points C and P (in V) shown in the figure is

(Take $\frac{1}{4\pi\epsilon_0} = 9 \times 10^9$ SI units)



- (1) 3×10^5 (2) 1×10^5
(3) 0.5×10^5 (4) Zero

16. The moment of inertia of a thin rod about an axis passing through its mid point and perpendicular to the rod is 2400 g cm^2 . The length of the 400 g rod is nearly
- (1) **8.5 cm** (2) 17.5 cm
(3) 20.7 cm (4) 72.0 cm


17. A particle moving with uniform speed in a circular path maintains
- (1) Constant velocity
(2) Constant acceleration
(3) Constant velocity but varying acceleration
(4) **Varying velocity and varying acceleration**

18. If c is the velocity of light in free space, the correct statements about photon among the following are
- A. The energy of a photon is $E = hv$.
B. The velocity of a photon is c .
C. The momentum of a photon, $p = \frac{hv}{c}$.
D. In a photon-electron collision, both total energy and total momentum are conserved.
E. Photon possesses positive charge.

Choose the correct answer from the options given below


- (1) A and B only
(2) **A, B, C and D only**
(3) A, C and D only
(4) A, B, D and E only
19. At any instant of time t , the displacement of any particle is given by $2t - 1$ (SI unit) under the influence of force of 5 N . The value of instantaneous power is (in SI unit)
- (1) **10**
(2) 5
(3) 7
(4) 6

20. A light ray enters through a right angled prism at point P with the angle of incidence 30° as shown in figure. It travels through the prism parallel to its base BC and emerges along the face AC. The refractive index of the prism is



- (1) $\frac{\sqrt{5}}{4}$ (2) $\frac{\sqrt{5}}{2}$
(3) $\frac{\sqrt{3}}{4}$ (4) $\frac{\sqrt{3}}{2}$

21. In the following circuit, the equivalent capacitance between terminal A and terminal B is




- (1) **$2 \mu\text{F}$** (2) $1 \mu\text{F}$
(3) $0.5 \mu\text{F}$ (4) $4 \mu\text{F}$

22. The quantities which have the same dimensions as those of solid angle are
- (1) **Strain and angle**
(2) Stress and angle
(3) Strain and arc
(4) Angular speed and stress

23. The maximum elongation of a steel wire of 1 m length if the elastic limit of steel and its Young's modulus, respectively, are $8 \times 10^8 \text{ N m}^{-2}$ and $2 \times 10^{11} \text{ N m}^{-2}$, is
- (1) **4 mm**
(2) 0.4 mm
(3) 40 mm
(4) 8 mm

24.



In the above diagram, a strong bar magnet is moving towards solenoid-2 from solenoid-1. The direction of induced current in solenoid-1 and that in solenoid-2, respectively, are through the directions

- (1) AB and DC
- (2) BA and CD
- (3) AB and CD
- (4) BA and DC

25. The mass of a planet is $\frac{1}{10}$ th that of the earth

and its diameter is half that of the earth. The acceleration due to gravity on that planet is

- (1) 19.6 m s^{-2}
- (2) 9.8 m s^{-2}
- (3) 4.9 m s^{-2}
- (4) 3.92 m s^{-2}

26. Match List I with List II.

List I
Spectral Lines of
Hydrogen for
transitions from

- (a) $n_2 = 3$ to $n_1 = 2$
- (b) $n_2 = 4$ to $n_1 = 2$
- (c) $n_2 = 5$ to $n_1 = 2$
- (d) $n_2 = 6$ to $n_1 = 2$

List II
Wavelengths
(nm)

- (i) 410.2
- (ii) 434.1
- (iii) 656.3
- (iv) 486.1

Choose the correct answer from the options given below:

- (1) A-II, B-I, C-IV, D-III
- (2) A-III, B-IV, C-II, D-I
- (3) A-IV, B-III, C-I, D-II
- (4) A-I, B-II, C-III, D-IV

27. An unpolarised light beam strikes a glass surface at Brewster's angle. Then

- (1) The reflected light will be partially polarised.
- (2) The refracted light will be completely polarised.
- (3) Both the reflected and refracted light will be completely polarised.
- (4) **The reflected light will be completely polarised but the refracted light will be partially polarised.**

28. Match List-I with List-II.

List I	List II
Material	Susceptibility (χ)


- | | |
|-------------------|--|
| (a) Diamagnetic | (i) $\chi = 0$ |
| (b) Ferromagnetic | (ii) $0 > \chi \geq -1$ |
| (c) Paramagnetic | (iii) $\chi \gg 1$ |
| (d) Non-magnetic | (iv) $0 < \chi < \epsilon$ (a small positive number) |

Choose the correct answer from the options given below

- (1) A-II, B-III, C-IV, D-I
- (2) A-II, B-I, C-III, D-IV
- (3) A-III, B-II, C-I, D-IV
- (4) A-IV, B-III, C-II, D-I

29. Two bodies A and B of same mass undergo completely inelastic one dimensional collision. The body A moves with velocity v_1 while body B is at rest before collision. The velocity of the system after collision is v_2 . The ratio $v_1 : v_2$ is

- (1) 1 : 2
- (2) **2 : 1**
- (3) 4 : 1
- (4) 1 : 4



In the nuclear emission stated above, the mass number and atomic number of the product Q respectively, are

- (1) 280, 81
- (2) 286, 80
- (3) 288, 82
- (4) 286, 81

31. If $x = 5\sin\left(\pi t + \frac{\pi}{3}\right)m$ represents the motion


of a particle executing simple harmonic motion, the amplitude and time period of motion, respectively, are

- (1) 5 cm, 2 s
- (2) 5 m, 2 s
- (3) 5 cm, 1 s
- (4) 5 m, 1 s

32. A thin flat circular disc of radius 4.5 cm is placed gently over the surface of water. If surface tension of water is 0.07 Nm^{-1} , then the excess force required to take it away from the surface is

- (1) 19.8 mN
- (2) 198 N
- (3) 1.98 mN
- (4) 99 N

33. The output (Y) of the given logic gate is similar to the output of an/a



- (1) NAND gate
- (2) NOR gate
- (3) OR gate
- (4) AND gate

34. Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R:

Assertion A: The potential (V) at any axial point, at 2 m distance (r) from the centre of the dipole of dipole moment vector \vec{P} of magnitude, $4 \times 10^{-6} \text{ C m}$, is $\pm 9 \times 10^3 \text{ V}$.


(Take $\frac{1}{4\pi\epsilon_0} = 9 \times 10^9 \text{ SI units}$)

Reason R: $V = \pm \frac{2P}{4\pi\epsilon_0 r^2}$, where r is the distance of any axial point, situated at 2 m from the centre of the dipole.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both A and R are true and R is the correct explanation of A.
- (2) Both A and R are true and R is NOT the correct explanation of A.
- (3) A is true but R is false.
- (4) A is false but R is true.

35. A wheel of a bullock cart is rolling on a level road as shown in the figure below. If its linear speed is v in the direction shown, which one of the following options is correct (P and Q are any highest and lowest points on the wheel, respectively)?



- (1) Point P moves slower than point Q
- (2) Point P moves faster than point Q
- (3) Both the points P and Q move with equal speed
- (4) Point P has zero speed

SECTION - B

36. A parallel plate capacitor is charged by connecting it to a battery through a resistor. If I is the current in the circuit, then in the gap between the plates:

- (1) There is no current
- (2) Displacement current of magnitude equal to I flows in the same direction as I
- (3) Displacement current of magnitude equal to I flows in a direction opposite to that of I
- (4) Displacement current of magnitude greater than I flows but can be in any direction

37. The property which is not of an electromagnetic wave travelling in free space is that

- (1) They are transverse in nature.
- (2) The energy density in electric field is equal to energy density magnetic field.
- (3) They travel with a speed equal to $\frac{1}{\sqrt{\mu_0 \epsilon_0}}$
- (4) They originate from charges moving with uniform speed.


38. A small telescope has an objective of focal length 140 cm and an eye piece of focal length 5.0 cm. The magnifying power of telescope for viewing a distant object is

- (1) 34 (2) 28 (3) 17 (4) 32

39. Two heaters A and B have power rating of 1 kW and 2 kW, respectively. Those two are first connected in series and then in parallel to a fixed power source. The ratio of power outputs for these two cases is

- (1) 1 : 1
- (2) 2 : 9
- (3) 1 : 2
- (4) 2 : 3


40. The following graph represents the T-V curves of an ideal gas (where T is the temperature and V the volume) at three pressures P_1, P_2 and P_3 compared with those of Charles's law represented as dotted lines.




Then the correct relation is:

- (1) $P_3 > P_2 > P_1$
- (2) $P_1 > P_3 > P_2$
- (3) $P_2 > P_1 > P_3$
- (4) $P_1 > P_2 > P_3$

41. The velocity (v) - time (t) plot of the motion of a body is shown below:




The acceleration (a) - time (t) graph that best suits this motion is



Ans: (3)

42. Choose the correct circuit which can achieve the bridge balance.



Ans: (1)

43. If the mass of the bob in a simple pendulum is increased to thrice its original mass and its length is made half its original length, then the new time period of oscillation is $\frac{x}{2}$ times its original time period. Then the value of x is

- (1) $\sqrt{3}$ (2) $\sqrt{2}$
 (3) $2\sqrt{3}$ (4) 4

44. The minimum energy required to launch a satellite of mass m from the surface of earth of mass M and radius R in a circular orbit at an altitude of $2R$ from the surface of the earth is

- (1) $\frac{5GmM}{6R}$ (2) $\frac{2GmM}{3R}$
 (3) $\frac{GmM}{2R}$ (4) $\frac{GmM}{3R}$

45. A sheet is placed on a horizontal surface in front of a strong magnetic pole. A force is needed to:


- A. Hold the sheet there if it is magnetic.
 B. Hold the sheet there if it is non-magnetic.
 C. Move the sheet away from the pole with uniform velocity if it is conducting.

- D. Move the sheet away from the pole with uniform velocity if it is both, non-conducting and non-polar.

Choose the correct statement(s) from the options given below:

- (1) B and D only
 (2) A and C only
 (3) A, C and D only
 (4) C only

46. A $10\mu\text{F}$ capacitor is connected to a 210 V , 50 Hz source as shown in figure. The peak current in the circuit is nearly ($\pi = 3.14$)



- (1) 0.58 A
 (2) 0.93 A
 (3) 1.20 A
 (4) 0.35 A

47. A metallic bar of Young's modulus, $0.5 \times 10^{11}\text{ N m}^{-2}$ and coefficient of linear thermal expansion $10^{-5}\text{ }^\circ\text{C}^{-1}$, length 1 m and area of cross-section 10^{-3} m^2 is heated from 0°C to 100°C without expansion or bending. The compressive force developed in it is
- (1) $5 \times 10^3\text{ N}$ (2) $50 \times 10^3\text{ N}$
 (3) $100 \times 10^3\text{ N}$ (4) $2 \times 10^3\text{ N}$

48. An iron bar of length L has magnetic moment M . It is bent at the middle of its length such that the two arms make an angle 60° with each other. The magnetic moment of this new magnet is

- (1) M (2) $\frac{M}{2}$
 (3) $2M$ (4) $\frac{M}{\sqrt{2}}$

49. If the plates of a parallel plate capacitor connected to a battery are moved close to each other, then
- The charge stored in it, increases.
 - The energy stored in it, decreases.
 - Its capacitance increases.
 - The ratio of charge to its potential remains the same.
 - The product of charge and voltage increases.

Choose the most appropriate answer from the options given below:

- (1) A, B and E only
- (2) A, C and E only**
- (3) B, D and E only
- (4) A, B and C only

50. A force defined by $F = \alpha t^2 + \beta t$ acts on a particle at a given time t . The factor which is dimensionless, if α and β are constants, is
- (1) $\frac{\beta t}{\alpha}$
 - (2) $\frac{\alpha t}{\beta}$
 - (3) $\alpha \beta t$
 - (4) $\frac{\alpha \beta}{t}$

CHEMISTRY- SECTION - A

(Code: T-3)

51. Match the following.


	Conversion		Number of Faraday required
(a)	1 mol of H_2O to O_2	(i)	3F
(b)	1 mol of MnO_4^- to Mn^{2+}	(ii)	2F
(c)	1.5 mol of Ca from molten $CaCl_2$	(iii)	1F
(d)	1 mol of FeO to Fe_2O_3	(iv)	5F

- (1) (a)-(ii) (b)-(iii) (c)-(i) (d)-(iv)
- (2) (a)-(iii) (b)-(iv) (c)-(ii) (d)-(i)
- (3) (a)-(ii) (b)-(iv) (c)-(i) (d)-(iii)**
- (4) (a)-(iii) (b)-(iv) (c)-(i) (d)-(ii)

52. Which reaction is NOT a redox reaction?

- (1) $H_2 + Cl_2 \rightarrow 2 HCl$
- (2) $BaCl_2 + Na_2SO_4 \rightarrow BaSO_4 + 2 NaCl$**
- (3) $Zn + CuSO_4 \rightarrow ZnSO_4 + Cu$
- (4) $2 KClO_3 + I_2 \rightarrow 2 KIO_3 + Cl_2$

53. Intramolecular hydrogen bonding is present in



- (4) HF

Ans: (1)

54. Fehling's solution 'A' is

- (1) Alkaline solution of sodium potassium tartrate (Rochelle's salt)
- (2) Aqueous sodium citrate
- (3) Aqueous copper sulphate**
- (4) Alkaline copper sulphate

55. 1 gram of sodium hydroxide was treated with 25 mL of 0.75 M HCl solution, the mass of sodium hydroxide left unreacted is equal to

- (1) Zero mg
- (2) 200 mg**
- (3) 750 mg
- (4) 250 mg

56. Match the following.

	Compound		Shape/geometry
(a)	NH_3	(i)	Trigonal Pyramidal
(b)	BrF_5	(ii)	Square Planar
(c)	XeF_4	(iii)	Octahedral
(d)	SF_6	(iv)	Square Pyramidal

- (1) (a)-(iii) (b)-(iv) (c)-(i) (d)-(ii)
 (2) (a)-(ii) (b)-(iii) (c)-(iv) (d)-(i)
(3) (a)-(i) (b)-(iv) (c)-(ii) (d)-(iii)
 (4) (a)-(ii) (b)-(iv) (c)-(iii) (d)-(i)

57. The E° value for the Mn^{3+}/Mn^{2+} couple is more positive than that of Cr^{3+}/Cr^{2+} or Fe^{3+}/Fe^{2+} due to change of

- (1) d^4 to d^5 configuration**
 (2) d^3 to d^5 configuration
 (3) d^5 to d^4 configuration
 (4) d^5 to d^2 configuration

58. Match the following.

	Process		Conditions
(a)	Isothermal process	(i)	No heat exchange
(b)	Isochoric process	(ii)	Carried out at constant temperature
(c)	Isobaric process	(iii)	Carried out at constant volume
(d)	Adiabatic process	(iv)	Carried out at constant pressure

- (1) (a)-(i) (b)-(ii) (c)-(iii) (d)-(iv)
(2) (a)-(ii) (b)-(iii) (c)-(iv) (d)-(i)
 (3) (a)-(iv) (b)-(iii) (c)-(ii) (d)-(i)
 (4) (a)-(iv) (b)-(ii) (c)-(iii) (d)-(i)

59. Activation energy of any chemical reaction can be calculated if one knows the value of

- (1) Orientation of reactant molecules during collision.
(2) Rate constant at two different temperatures.
 (3) Rate constant at standard temperature.
 (4) Probability of collision.

60. A compound with a molecular formula of C_6H_{14} has two tertiary carbons. Its IUPAC name is

- (1) 2, 3-dimethylbutane**
 (2) 2, 2-dimethylbutane
 (3) n-hexane
 (4) 2-methylpentane

61. 'Spin only' magnetic moment is same for which of the following ions?

- A. Ti^{3+} B. Cr^{2+}
 C. Mn^{2+} D. Fe^{2+}
 E. Sc^{3+}





- (1) B and C only (2) A and D only
(3) B and D only (4) A and E only

62. Arrange the following elements in increasing order of electronegativity:

N, O, F, C, Si

- (1) $O < F < N < C < Si$
 (2) $F < O < N < C < Si$
(3) $Si < C < N < O < F$
 (4) $Si < C < O < N < F$

63. Which one of the following alcohols reacts instantaneously with Lucas reagent?



Ans: (4)

64. Statement I: Both $[\text{Co}(\text{NH}_3)_6]^{3+}$ and $[\text{CoF}_6]^{3-}$ complexes are octahedral but differ in their magnetic behaviour.

Statement II: $[\text{Co}(\text{NH}_3)_6]^{3+}$ is diamagnetic whereas $[\text{CoF}_6]^{3-}$ is paramagnetic.

- (1) I correct, II incorrect.
 (2) I incorrect, II correct.
(3) I and II correct.
 (4) I and II incorrect.

65. Statement I: The boiling point of hydrides of Group 16 elements follow the order $\text{H}_2\text{O} > \text{H}_2\text{Te} > \text{H}_2\text{Se} > \text{H}_2\text{S}$.

Statement II: On the basis of molecular mass, H_2O is expected to have lower boiling point than the other members of the group but due to the presence of extensive H-bonding in H_2O , it has higher boiling point.

- (1) I correct, II incorrect.
 (2) I incorrect, II correct.
(3) I and II correct.
 (4) I and II incorrect.

66. Match the following.

	Quantum Number		Information provided
(a)	m_l	(i)	Shape of orbital
(b)	m_s	(ii)	Size of orbital
(c)	l	(iii)	Orientation of orbital
(d)	n	(iv)	Orientation of spin of electron


- (1) (a)-(iii) (b)-(iv) (c)-(ii) (d)-(i)
 (2) (a)-(ii) (b)-(i) (c)-(iv) (d)-(iii)
 (3) (a)-(i) (b)-(iii) (c)-(ii) (d)-(iv)
(4) (a)-(iii) (b)-(iv) (c)-(i) (d)-(ii)

67. Match the following.

Reaction	Reagents Condition
(a)	(i)
(b)	(ii) CrO_3
(c)	(iii) $\text{KMnO}_4/\text{KOH}, \Delta$
(d)	(iv) (i) O_3 (ii) $\text{Zn-H}_2\text{O}$

- (1) (a)-(iv) (b)-(i) (c)-(ii) (d)-(iii)
 (2) (a)-(i) (b)-(iv) (c)-(ii) (d)-(iii)
 (3) (a)-(iv) (b)-(i) (c)-(iii) (d)-(ii)
(4) (a)-(iii) (b)-(i) (c)-(ii) (d)-(iv)

68. Identify the correct reagents that would bring about the following transformation



- (1) (i) BH_3
 (ii) $\text{H}_2\text{O}_2/\text{OH}^-$
 (iii) alk. KMnO_4
 (iv) H_3O^+
 (2) (i) $\text{H}_2\text{O}/\text{H}^+$
 (ii) PCC
 (3) (i) $\text{H}_2\text{O}/\text{H}^+$
 (ii) CrO_3
(4) (i) BH_3
 (ii) $\text{H}_2\text{O}_2/\text{OH}^-$
 (iii) PCC

Ans: (4)

69. The reagents with which glucose does not react to give the corresponding tests / products are

- A. Tollen's reagent
- B. Schiff's reagent
- C. HCN
- D. NH_2OH
- E. NaHSO_3

(1) B and E

(2) E and D

(3) B and C

(4) A and D

70. Match the following.

	Molecule		Number and types of bond/s between two carbon atoms)
(a)	Ethane	(i)	One σ -bond and two π -bonds
(b)	Ethene	(ii)	Two π -bonds
(c)	Carbon molecule, O_2	(iii)	One σ -bond
(d)	Ethyne	(iv)	One σ -bond and one π -bond

(1) (a)-(iii) (b)-(iv) (c)-(ii) (d)-(i)

(2) (a)-(iii) (b)-(iv) (c)-(i) (d)-(ii)

(3) (a)-(i) (b)-(iv) (c)-(ii) (d)-(iii)

(4) (a)-(iv) (b)-(iii) (c)-(ii) (d)-(i)

71. Among Group 16 elements, which one does NOT show -2 oxidation state?

- (1) Te
- (2) Po
- (3) O
- (4) Se

72. For the reaction $2A \rightleftharpoons B + C$, $K_c = 4 \times 10^{-3}$.

At a given time, the composition of reaction mixture is: $[A] = [B] = [C] = 2 \times 10^{-3} \text{ M}$


(1) Reaction has a tendency to go in backward direction.

(2) Reaction has gone to completion in forward direction.

(3) Reaction is at equilibrium.

(4) Reaction has a tendency to go in forward direction.

73. Which plot of $\ln k$ vs $\frac{1}{T}$ is consistent with Arrhenius equation?



Ans: (2)

74. In which of the following equilibria, K_p and K_c are not equal?

(1) $\text{CO(g)} + \text{H}_2\text{O(g)} \rightleftharpoons \text{CO}_2\text{(g)} + \text{H}_2\text{(g)}$

(2) $2 \text{BrCl(g)} \rightleftharpoons \text{Br}_2\text{(g)} + \text{Cl}_2\text{(g)}$

(3) $\text{PCl}_5\text{(g)} \rightleftharpoons \text{PCl}_3\text{(g)} + \text{Cl}_2\text{(g)}$

(4) $\text{H}_2\text{(g)} + \text{I}_2\text{(g)} \rightleftharpoons 2 \text{HI(g)}$

75. **Statement I:** The boiling point of three isomeric pentanes follow the order $n\text{-pentane} > \text{isopentane} > \text{neopentane}$

Statement II: When branching increases, the molecule attains a shape of sphere. This results in smaller surface area of contact, due to which the intermolecular forces between the spherical molecules are weak, thereby lowering the boiling point.


(1) I correct, II incorrect.

(2) I incorrect, II correct.

(3) I and II correct.

(4) I and II incorrect.

76. The compound that will undergo S_N1 reaction with the fastest rate is



Ans: (2)

77. The energy of an electron in the ground state ($n = 1$) for He^+ ion is $-x$ J, then that for an electron in $n = 2$ state for Be^{3+} ion in J is

- (1) $-4x$
- (2) $-x$
- (3) $-\frac{4}{9}x$
- (4) $-\frac{x}{9}$

78. In which of the following processes entropy increases?

- A. A liquid evaporates to vapour.
- B. Temperature of a crystalline solid lowered from 130 K to 0 K.
- C. $2 NaHCO_{3(s)} \rightarrow Na_2CO_{3(s)} + CO_{2(g)} + H_2O_{(g)}$
- D. $Cl_{2(g)} \rightarrow 2 Cl_{(g)}$

- (1) A, C and D
- (2) C and D
- (3) A and C
- (4) A, B and D

79. On heating, some solid substances change from solid to vapour state without passing through liquid state. The technique used for the purification of such solid substances based on the above principle is known as

- (1) Distillation
- (2) Chromatography
- (3) Crystallization
- (4) Sublimation

80. Match the following.

	Complex		Type of isomerism
(a)	$[Co(NH_3)_5(NO_2)]Cl_2$	(i)	Solvate isomerism
(b)	$[Co(NH_3)_5(SO_4)]Br$	(ii)	Linkage isomerism
(c)	$[Co(NH_3)_6][Cr(CN)_6]$	(iii)	Ionization isomerism
(d)	$[Co(H_2O)_6]Cl_3$	(iv)	Coordination isomerism

- (1) (a)-(i) (b)-(iv) (c)-(iii) (d)-(i)
- (2) (a)-(ii) (b)-(iv) (c)-(iii) (d)-(i)
- (3) (a)-(ii) (b)-(iii) (c)-(iv) (d)-(i)
- (4) (a)-(i) (b)-(iii) (c)-(iv) (d)-(ii)

81. **Statement I:** Aniline does not undergo Friedel-Crafts alkylation reaction.

Statement II: Aniline cannot be prepared through Gabriel synthesis.

- (1) I correct, II incorrect.
- (2) I incorrect, II correct.
- (3) I and II correct.
- (4) I and II incorrect.

82. Arrange the following elements in increasing order of first ionization enthalpy.


Li, Be, B, C, N

- (1) $Li < Be < C < B < N$
- (2) $Li < Be < N < B < C$
- (3) $Li < Be < B < C < N$
- (4) $Li < B < Be < C < N$

83. The highest number of helium atoms is in

- (1) 4 g of helium
- (2) 2.271098 L of helium at STP
- (3) 4 mol of helium
- (4) 4 u of helium

84. The most stable carbocation among the following is



Ans: (4)

85. The Henry's law constant (K_H) values of three gases (A, B, C) in water are 145 , 2×10^{-5} and 35 kbar, respectively. The solubility of these gases in water follow the order.

- (1) $A > C > B$ (2) $A > B > C$
 (3) $B > A > C$ (4) $B > C > A$



SECTION - B

86. A compound X contains 32% of A, 20% of B and remaining percentage of C. Then, the empirical formula of X is

(Given atomic masses of $A = 64$; $B = 40$; $C = 32$ u)

- (1) AB_2C_2 (2) ABC_4
 (3) A_2BC_2 (4) ABC_3

87. The products A and B obtained in the following reactions, respectively, are




- (1) H_3PO_4 and POCl_3
 (2) H_3PO_3 and POCl_3
 (3) POCl_3 and H_3PO_3
 (4) POCl_3 and H_3PO_4


88. The plot of osmotic pressure (II) vs concentration (mol L^{-1}) for a solution gives a straight line with slope $25.73 \text{ L bar mol}^{-1}$. The temperature at which the osmotic pressure measurement is done is
 (Use $R = 0.083 \text{ L bar mol}^{-1} \text{ K}^{-1}$)

- (1) 25.73°C
 (2) 12.05°C
 (3) 37°C
 (4) 310°C

89. For the given reaction:



'P' is



Ans: (4)

90. **Statement I:** $[\text{Co}(\text{NH}_3)_6]^{3+}$ is a homoleptic complex whereas $[\text{Co}(\text{NH}_3)_4\text{Cl}_2]^+$ is a heteroleptic complex.









Statement II: Complex $[\text{Co}(\text{NH}_3)_6]^{3+}$ has only one kind of ligands but $[\text{Co}(\text{NH}_3)_4\text{Cl}_2]^+$ has more than one kind of ligands.

- (1) I correct, II incorrect.
 (2) I incorrect, II correct.
 (3) I and II correct.
 (4) I and II incorrect.

91. During the preparation of Mohr's salt solution (Ferrous ammonium sulphate), which of the following acid is added to prevent hydrolysis of Fe^{2+} ion?
- (1) Dilute hydrochloric acid
 - (2) Concentrated sulphuric acid
 - (3) Dilute nitric acid
 - (4) Dilute sulphuric acid**
92. Identify the correct answer.
- (1) Dipole moment of NF_3 is greater than that of NH_3
 - (2) Three canonical forms can be drawn for CO_3^{2-} ion**
 - (3) Three resonance structures can be drawn for ozone
 - (4) BF_3 has non-zero dipole moment
93. Given below are certain cations. Using inorganic qualitative analysis, arrange them in increasing group number from 0 to VI.
- A. Al^{3+} B. Cu^{2+}
 C. Ba^{2+} D. Co^{2+}
 E. Mg^{2+}
- Choose the correct answer from the options given below.
- (1) E, C, D, B, A
 - (2) E, A, B, C, D
 - (3) B, A, D, C, E**
 - (4) B, C, A, D, E
94. Identify the major product C formed in the following reaction sequence:
- $$\text{CH}_3 - \text{CH}_2 - \text{CH}_2 - \text{I} \xrightarrow{\text{NaCN}} \text{A}$$
- $$\xrightarrow[\text{Partial hydrolysis}]{\text{OH}^-} \text{B} \xrightarrow[\text{Br}_2]{\text{NaOH}} \text{C (major)}$$
- (1) Butanamide
 - (2) α -bromobutanoic acid
 - (3) Propylamine**
 - (4) Butylamine
95. The rate of a reaction quadruples when temperature changes from 27°C to 57°C . Calculate the energy of activation.
- Given $R = 8.314 \text{ J K}^{-1} \text{ mol}^{-1}$, $\log 4 = 0.6021$
- (1) 3.80 kJ/mol
 - (2) 3804 kJ/mol
 - (3) 38.04 kJ/mol**
 - (4) 380.4 kJ/mol
96. Consider the following reaction in a sealed vessel at equilibrium with concentrations of $\text{N}_2 = 3.0 \times 10^{-3} \text{ M}$, $\text{O}_2 = 4.2 \times 10^{-3} \text{ M}$ and $\text{NO} = 2.8 \times 10^{-3} \text{ M}$.
- $$2\text{NO}_{(\text{g})} \rightleftharpoons \text{N}_{2(\text{g})} + \text{O}_{2(\text{g})}$$
- If 0.1 mol L^{-1} of $\text{NO}_{(\text{g})}$ is taken in a closed vessel, what will be degree of dissociation (α) of $\text{NO}_{(\text{g})}$ at equilibrium?
- (1) 0.8889
 - (2) 0.717**
 - (3) 0.00889
 - (4) 0.0889
97. The work done during reversible isothermal expansion of one mole of hydrogen gas at 25°C from pressure of 20 atmosphere to 10 atmosphere is
- (Given $R = 2.0 \text{ cal K}^{-1} \text{ mol}^{-1}$)
- (1) 413.14 calories
 - (2) 100 calories
 - (3) 0 calorie
 - (4) -413.14 calories**
98. Mass in grams of copper deposited by passing 9.6487 A current through a voltmeter containing copper sulphate solution for 100 seconds is
- (Given : Molar mass of Cu : 63 g mol^{-1} , $1 \text{ F} = 96487 \text{ C}$)
- (1) 31.5 g
 - (2) 0.0315 g
 - (3) 3.15 g
 - (4) 0.315 g**

99. Major products A and B formed in the following reaction sequence, are



- (1) A =  ; B = 
- (2) A =  ; B = 
- (3) A =  ; B = 
- (4) A =  ; B = 

Ans: (1)

100. The pair of lanthanoid ions which are diamagnetic is

- (1) Gd^{3+} and Eu^{3+}
 (2) Pm^{3+} and Sm^{3+}
 (3) Ce^{4+} and Yb^{2+}
 (4) Ce^{3+} and Eu^{2+}

BOTANY - SECTION - A (Code: T-3)

101. Identify the set of correct statement:

- A. The flowers of *Vallisneria* are colourful and produce nectar.
 B. The flowers of waterlily are not pollinated by water.
 C. In most of water-pollinated species, the pollen grains are protected from wetting.
 D. Pollen grains of some hydrophytes are long and ribbon like.

- E. In some hydrophytes, the pollen grains are carried passively inside water.

- (1) A, C, D and E only
 (2) B, C, D and E only
 (3) C, D and E only
 (4) A, B, C and D only


102. The type of conservation in which the threatened species are taken out from their natural habitat and placed in special setting where they can be protected and given special care is called;

- (1) Semi-conservative method
 (2) Sustainable development
 (3) in-situ conservation
 (4) **Biodiversity conservation**

103. Inhibition of Succinic dehydrogenase enzyme by malonate is a classical example of:

- (1) **Competitive inhibition**
 (2) Enzyme activation
 (3) Cofactor inhibition
 (4) Feedback inhibition

104. Identify the part of the seed from the given figure which is destined to form root when the seed germinates.



- (1) C (2) D
 (3) A (4) B

105. Bulliform cells are responsible for

- (1) Increased photosynthesis in monocots.
 (2) Providing large spaces for storage of sugars.
 (3) **Inward curling of leaves in monocots.**
 (4) Protecting the plant from salt stress.



VETRI NEET GATEWAY

NEET PREVIOUS YEAR QUESTION - 2024

106. Which of the following are required for the dark reaction of photosynthesis?

- A. Light B. Chlorophyll
C. CO₂ D. ATP
E. NADPH

Choose the correct answer from the options given below:

- (1) A, B and C only (2) B, C and D only
(3) C, D and E only (4) D and E only

107. Formation of interfascicular cambium from fully developed parenchyma cells is an example for

- (1) Dedifferentiation**
(2) Maturation
(3) Differentiation
(4) Redifferentiation

108. Hind II always cuts DNA molecules at a particular point called recognition sequence and it consists of:

- (1) 4 bp (2) 10 bp (3) 8 bp **(4) 6 bp**

109. Tropical regions show greatest level of species richness because

- A. Tropical latitudes have remained relatively undisturbed for millions of years, hence more time was available for species diversification.
B. Tropical environments are more seasonal.
C. More solar energy is available in tropics.
D. Constant environments promote niche specialization.
E. Tropical environments are constant and predictable.

Choose the correct answer from the options given below:

- (1) A, B and E only
(2) A, B and D only
(3) A, C, D and E only
(4) A and B only

110. Which one of the following is not a criterion for classification of fungi?

- (1) Mode of spore formation
(2) Fruiting body
(3) Morphology of mycelium
(4) Mode of nutrition

111. How many molecules of ATP and NADPH are required for every molecule of CO₂ fixed in the Calvin cycle?

- (1) 3 molecules of ATP and 3 molecules of NADPH
(2) 3 molecules of ATP and 2 molecules of NADPH
(3) 2 molecules of ATP and 3 molecules of NADPH
(4) 2 molecules of ATP and 2 molecules of NADPH

112. These are regarded as major causes of biodiversity loss:

- A. Over exploitation
B. Co-extinction
C. Mutation
D. Habitat loss and fragmentation
E. Migration

Choose the correct option:

- (1) A, B and E only
(2) A, B and D only
(3) A, C and D only
(4) A, B, C and D only

113. The capacity to generate a whole plant from any cell of the plant is called:

- (1) Differentiation
(2) Somatic hybridization
(3) Totipotency
(4) Micropropagation

114. The equation of Verhulst-Pearl logistic growth is $\frac{dN}{dt} = rN \left[\frac{K-N}{K} \right]$

From this equation, K indicates:


- (1) Carrying capacity**

- (2) Population density
- (3) Intrinsic rate of natural increase
- (4) Biotic potential

115. Spindle fibers attach to kinetochores of chromosomes during

- (1) Anaphase
- (2) Telophase
- (3) Prophase
- (4) Metaphase**

116. Identify the type of flowers based on the position of calyx, corolla and androecium with respect to the ovary from the given figures (a) and (b)



- (1) (a) Perigynous; (b) Epigynous
- (2) (a) Perigynous; (b) Perigynous**
- (3) (a) Epigynous; (b) Hypogynous
- (4) (a) Hypogynous; (b) Epigynous

117. Match the following.

- | List I | List II |
|-------------|------------------|
| A. Rhizopus | I. Mushroom |
| B. Ustilago | II. Smut fungus |
| C. Puccinia | III. Bread mould |
| D. Agaricus | IV. Rust fungus |

Choose the correct answer from the options given below:

- (1) A-III, B-II, C-I, D-IV
- (2) A-IV, B-III, C-II, D-I
- (3) A-III, B-II, C-IV, D-I**
- (4) A-I, B-III, C-II, D-IV

118. In a plant, black seed color (BB/Bb) is dominant over white seed color (bb). In order to find out the genotype of the black seed plant, with which of the following genotype will be cross it?

- (1) Bb
- (2) BB/Bb
- (3) BB
- (4) bb**

119. A pink flowered Snapdragon plant was crossed with a red flowered Snapdragon plant. What type of phenotype/s is/are expected in the progeny?

- (1) Only pink flowered plants
- (2) Red, Pink as well as white flowered plants
- (3) Only red flowered plants
- (4) Red flowered as well as pink flowered plants**

120. Match the following.

- | List I | List II |
|--|----------------|
| A. Two or more alternative forms of a gene | I. Back cross |
| B. Cross of F_1 progeny with homozygous recessive parent | II. Ploidy |
| C. Cross of F_1 progeny with any of the parents | III. Allele |
| D. Number of chromosome sets in plant | IV. Test cross |

Choose the correct answer from the options given below:

- (1) A-III, B-IV, C-I, D-II**
- (2) A-IV, B-III, C-II, D-I
- (3) A-I, B-II, C-III, D-IV
- (4) A-II, B-I, C-III, D-IV

121. Lecithin, a small molecular weight organic compound found in living tissues, is an example of:

- (1) Glycerides
- (2) Carbohydrates
- (3) Amino acids
- (4) Phospholipids**

122. Match the following.

List I


List II

- | | |
|-----------------------------|-------------------|
| A. Clostridium butylicum | I. Ethanol |
| B. Saccharomyces cerevisiae | II. Streptokinase |
| C. Trichoderma polysporum | III. Butyric acid |
| D. Streptococcus sp. | IV. Cyclosporin-A |

Choose the correct answer from the options given below:

- (1) A-III, B-I, C-IV, D-II
 (2) A-IV, B-I, C-III, D-II
 (3) A-III, B-I, C-II, D-IV
 (4) A-II, B-IV, C-III, D-I

123. In the given figure, which component has thin outer walls and highly thickened inner walls?



- (1) A
 (2) B
 (3) C
 (4) D

124. Which of the following is an example of actinomorphic flower?

- (1) Pisum
 (2) Sesbania
 (3) Datura
 (4) Cassia

125. A transcription unit in DNA is defined primarily by the three regions in DNA and these are with respect to upstream and down stream end;

- (1) Inducer, Repressor, Structural gene
 (2) Promotor, Structural gene, Terminator
 (3) Repressor, Operator gene, Structural gene
 (4) Structural gene, Transposons, Operator gene

126. What is the fate of a piece of DNA carrying only gene of interest which is transferred into an alien organism?

- A. The piece of DNA would be able to multiply itself independently in the progeny cells of the organism.
 B. It may get integrated into the genome of the recipient.
 C. It may multiply and be inherited along with the host DNA.
 D. The alien piece of DNA is not an integral part of chromosome.
 E. It shows ability to replicate.

Choose the correct answer from the options given below:

- (1) B and C only
 (2) A and E only
 (3) A and B only
 (4) D and E only

127. Auxin is used by gardeners to prepare weed-free lawns. But no damage is caused to grass as auxin

- (1) Promotes apical dominance.
 (2) Promotes abscission of mature leaves only.

(3) Does not affect mature monocotyledonous plants.

- (4) Can help in cell division in grasses, to produce growth.

128. The cofactor of the enzyme carboxypeptidase is:

- (1) Flavin
 (2) Haem
 (3) Zinc
 (4) Niacin

129. The lactose present in the growth medium of bacteria is transported to the cell by the action of

- (1) Permease
 (2) Polymerase
 (3) Beta-galactosidase
 (4) Acetylase

130. Which one of the following can be explained on the basis of Mendel's Law of Dominance?

- A. Out of one pair of factors one is dominant and the other is recessive.
- B. Alleles do not show any expression and both the characters appear as such in F₂ generation.
- C. Factors occur in pairs in normal diploid plants.
- D. The discrete unit controlling a particular character is called factor.
- E. The expression of only one of the parental characters is found in a monohybrid cross.

Choose the correct answer from the options given below:

- (1) B, C and D only
- (2) A, B, C, D and E
- (3) A, B and C only
- (4) A, C, D and E only

131. Given below are two statements:

Statement I: Bt toxins are insect group specific and coded by a gene cry IAc.

Statement II: Bt toxin exists as inactive protoxin in *B. thuringiensis*. However, after ingestion by the insect the inactive protoxin gets converted into active form due to acidic pH of the insect gut.

In the light of the above statements, choose the correct answer from the options given below:

- (1) **Statement I is true but Statement II is false.**
- (2) Statement I is false but Statement II is true.
- (3) Both statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.

132. Given below are two statements:

Statement I: Parenchyma is living but collenchyma is dead tissue.

Statement II: Gymnosperms lack xylem vessels but presence of xylem vessels is the characteristic of angiosperms.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is true but Statement II is false.
- (2) **Statement I is false but Statement II is true.**
- (3) Both statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.

133. Given below are two statements:

Statement I: Chromosomes become gradually visible under light microscope during leptotene stage.

Statement II: The beginning of diplotene stage is recognized by dissolution of synaptonemal complex.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is true but Statement II is false.
- (2) Statement I is false but Statement II is true.
- (3) **Both statement I and Statement II are true.**
- (4) Both Statement I and Statement II are false.

134. Match List I with List II

List I	List II
A. Nucleolus	I. Site of formation of glycolipid
B. Centriole	II. Organization like the cartwheel

C. Leucoplasts III. Site for active ribosomal RNA synthesis

D. Golgi apparatus IV. For storing nutrients

Choose the correct answer from the options given below:

- (1) A-III, B-IV, C-II, D-I
 (2) A-I, B-II, C-III, D-IV
(3) A-III, B-II, C-IV, D-I
 (4) A-II, B-III, C-I, D-IV

135. List of endangered species was released by

- (1) FOAM
(2) IUCN
 (3) GEAC
 (4) WWF

SECTION - B

136. The DNA present in chloroplast is:

- (1) Linear, single stranded
 (2) Circular, single stranded
 (3) Linear, double stranded
(4) Circular, double stranded

137. Which of the following are fused in somatic hybridization involving two varieties of plants?

- (1) Protoplasts**
 (2) Pollens
 (3) Callus
 (4) Somatic embryos

138. Identify the correct description about the given figure:



- (1) Cleistogamous flowers showing autogamy.

(2) Compact inflorescence showing complete autogamy

(3) Wind pollinated plant inflorescence showing flowers with well exposed stamens.

(4) Water pollinated flowers showing stamens with mucilaginous covering.

139. Spraying sugarcane crop with which of the following plant growth regulators, increases the length of stem, thus, increasing the yield?

- (1) Cytokinin
 (2) Absciscic acid
 (3) Auxin
(4) Gibberellin

140. Match List I with List II

List I	List II
A. Frederick Griffith	I. Genetic code
B. Francois Jacob & Jacques Monod	II. Semi-conservative mode of DNA replication
C. Har Gobind Khorana	III. Transformation
D. Meselson & Stahl	IV. Lac operon

Choose the correct answer from the options given below:

- (1) A-II, B-III, C-IV, D-I
 (2) A-IV, B-I, C-II, D-III
 (3) A-III, B-II, C-I, D-IV
(4) A-III, B-IV, C-I, D-II

141. Match List I with List II

List I	List II
A. GLUT-4	I. Hormone
B. Insulin	II. Enzyme
C. Trypsin	III. Intercellular ground substance
D. Collagen	IV. Enables glucose transport into cells

Choose the correct answer from the options given below:

- (1) A-II, B-III, C-IV, D-I
 (2) A-III, B-IV, C-I, D-II
 (3) **A-IV, B-I, C-II, D-III**
 (4) A-I, B-II, C-III, D-IV

142. Given below are two statements:

Statement I: In C_3 plants, some O_2 binds to RuBisCO, hence CO_2 fixation is decreased.

Statement II: In C_4 plants, mesophyll cells show very little photorespiration while bundle sheath cells do not show photorespiration.

In the light of the above statements, choose the correct answer from the options given below:

- (1) **Statement I is true but Statement II is false.**
 (2) Statement I is false but Statement II is true.
 (3) Both statement I and Statement II are true.
 (4) Both Statement I and Statement II are false.

143. Identify the step in tricarboxylic acid cycle, which does not involve oxidation of substrate.

- (1) **Succinyl-CoA \rightarrow Succinic acid**
 (2) Isocitrate \rightarrow α -ketoglutaric acid
 (3) Malic acid \rightarrow Oxaloacetic acid
 (4) Succinic acid \rightarrow Malic acid

144. Match List I with List II

List I	List II
A. Citric acid cycle	I. Cytoplasm
B. Glycolysis	II. Mitochondrial matrix
C. Electron transport system	III. Intermembrane space of mitochondria

D. Proton gradient IV. Inner mitochondrial membrane

- (1) A-III, B-IV, C-I, D-II
 (2) A-IV, B-III, C-II, D-I
 (3) A-I, B-II, C-III, D-IV
 (4) **A-II, B-I, C-IV, D-III**

145. Which of the following statement is correct regarding the process of replication in E.coli?

- (1) The DNA dependent DNA polymerase catalyses polymerization in $5' \rightarrow 3'$ as well as $3' \rightarrow 5'$ direction
 (2) **The DNA dependent DNA polymerase catalyses polymerization in $5' \rightarrow 3'$ direction**
 (3) The DNA dependent DNA polymerase catalyses polymerization in one direction that is $3' \rightarrow 5'$
 (4) The DNA dependent RNA polymerase catalyses polymerization in one direction, that is $5' \rightarrow 3'$

146. In an ecosystem if the Net Primary Productivity (NPP) of first trophic level is $100x$ ($kcal\ m^{-2}yr^{-1}$), what would be the GPP (Gross Primary Productivity) of the third trophic level of the same ecosystem?

- (1) **$10x$ ($kcal\ m^{-2} yr^{-1}$)**
 (2) $\frac{100x}{3x}$ ($kcal\ m^{-2}) yr^{-1}$
 (3) $\frac{x}{10}$ ($kcal\ m^{-2}) yr^{-1}$
 (4) x ($kcal\ m^{-2}) yr^{-1}$

147. Match List I with List II

List I	List II
A. Rose	I. Twisted aestivation
B. Pea	II. Perigynous flower
C. Cotton	III. Drupe
D. Mango	IV. Marginal placentation

Choose the correct answer from the options given below:

- (1) A-IV, B-III, C-II, D-I
 (2) A-II, B-III, C-IV, D-I
 (3) **A-II, B-IV, C-I, D-III**
 (4) A-I, B-II, C-III, D-IV

148. Match List I with List II

List I	List II
A. Robert May	I. Species-Area relationship
B. Alexander von Humboldt	II. Long term ecosystem experiment using out door plots
C. Paul Ehrlich	III. Global species diversity at about 7 million
D. David Tilman	IV. Rivet popper hypothesis

Choose the correct answer from the options given below:

- (1) A-I, B-III, C-II, D-IV
 (2) A-III, B-IV, C-II, D-I
 (3) A-II, B-III, C-I, D-IV
 (4) **A-III, B-I, C-IV, D-II**

149. Match List I with List II

List I (Types of Stamens)	List II (Example)
A. Monoadelphous	I. Citrus
B. Diadelphous	II. Pea
C. Polyadelphous	III. Lily
D. Epiphyllous	IV. China-rose

Choose the correct answer from the options given below:

- (1) A-I, B-II, C-IV, D-III
 (2) A-III, B-I, C-IV, D-II
 (3) **A-IV, B-II, C-I, D-III**
 (4) A-IV, B-I, C-II, D-III

150. Read the following statements and choose the set of correct statements:

In the members of Phaeophyceae,

- A. Asexual reproduction occurs usually by biflagellate zoospores.

- B. Sexual reproduction is by oogamous method only.
 C. Stored food is in the form of carbohydrates which is either mannitol or laminarin.
 D. The major pigments found are chlorophyll a, c and carotenoids and xanthophyll.
 E. Vegetative cells have a cellulosic wall, usually covered on the outside by gelatinous coating of algin.

Choose the correct answer from the options given below:

- (1) **A, C, D and E only**
 (2) A, B, C and E only
 (3) A, B, C and D only
 (4) B, C, D and E only

ZOOLOGY - SECTION - A (Code: T-3)

151. Match the following.

- | | |
|-------------------|----------------|
| (a) Typhoid | (i) Fungus |
| (b) Leishmaniasis | (ii) Nematode |
| (c) Ringworm | (iii) Protozoa |
| (d) Filariasis | (iv) Bacteria |

- (1) (a)-(iii) (b)-(i) (c)-(iv) (d)-(ii)
 (2) (a)-(ii) (b)-(iv) (c)-(iii) (d)-(i)
 (3) (a)-(i) (b)-(iii) (c)-(ii) (d)-(iv)
 (4) **(a)-(iv) (b)-(iii) (c)-(i) (d)-(ii)**

152. Match the following.

- | | |
|---------------------------|-------------------|
| (a) Non-medicated IUD | (i) Multiload 375 |
| (b) Copper releasing IUD | (ii) Progestogens |
| (c) Hormone releasing IUD | (iii) Lippes loop |
| (d) Implants | (iv) LNG-20 |

- (1) (a)-(iv) (b)-(i) (c)-(ii) (d)-(iii)
 (2) **(a)-(iii) (b)-(i) (c)-(iv) (d)-(ii)**
 (3) (a)-(iii) (b)-(i) (c)-(ii) (d)-(iv)
 (4) (a)-(i) (b)-(iii) (c)-(iv) (d)-(ii)

153. Statement I: The presence or absence of hymen is not a reliable indicator of virginity.

Statement II: The hymen is torn during the first coitus only.

(1) I correct, II incorrect.

(2) I incorrect, II correct.

(3) I and II correct.

(4) I and II incorrect.

154. In both sexes of cockroach, a pair of jointed filamentous structures called anal cerci are present on:

(1) 8th and 9th segment

(2) 11th segment

(3) 5th segment

(4) 10th segment

155. Match the following.

- | | |
|------------------|---|
| (a) Pons | (i) Provides additional space for Neurons, regulates posture and balance. |
| (b) Hypothalamus | (ii) Controls respiration and gastric secretions. |
| (c) Medulla | (iii) Connects different regions of the brain. |
| (d) Cerebellum | (iv) Neuro secretory cells |

(1) (a)-(i) (b)-(iii) (c)-(ii) (d)-(iv)

(2) (a)-(ii) (b)-(i) (c)-(iii) (d)-(iv)

(3) (a)-(ii) (b)-(iii) (c)-(i) (d)-(iv)

(4) (a)-(iii) (b)-(iv) (c)-(ii) (d)-(i)

156. Which of the following is not a steroid hormone?

(1) Progesterone

(2) Glucagon

(3) Cortisol

(4) Testosterone

157. Which one is the correct product of DNA dependent RNA polymerase to the given template?

3'TACATGGCAAATATCCATTCA5'


(1) 5'AUGUACCGUUUAUAGGGAAGU3'

(2) 5'ATGTACCGTTTATAGGTAAGT3'

(3) 5'AUGUACCGUUUAUAGGUAAGU3'

(4) 5'AUGUAAAGUUUAUAGGUAAGU3'

158. Three types of muscles are given as a, b and c. Identify the correct matching pair along with their location in human body:



Name of muscle/location

- | | | |
|--------------------------------|-----------------------------|----------------------|
| (1) (a) Skeletal - Biceps | (b) Involuntary - Intestine | (c) Smooth - Heart. |
| (2) (a) Involuntary - Nose tip | (b) Skeletal - Bone | (c) Cardiac - Heart. |
| (3) (a) Smooth - Toes | (b) Skeletal - Legs | (c) Cardiac - Heart. |
| (4) (a) Skeletal - Triceps | (b) Smooth - Stomach | (c) Cardiac - Heart. |

159. Following are the stages of cell division:

- Gap 2 phase
- Cytokinesis
- Synthesis phase
- Karyokinesis
- Gap 1 phase

Choose the correct sequence of stages from the options given below:

- | | |
|---------------|---------------|
| (1) B-D-E-A-C | (2) E-C-A-D-B |
| (3) C-E-D-A-B | (4) E-B-D-A-C |

160. Which of the following are Autoimmune disorder?

- A. Myasthenia gravis
- B. Rheumatoid arthritis
- C. Gout
- D. Muscular dystrophy
- E. Systemic Lupus Erythematosus (SLE)

Choose the most appropriate answer from the options given below:

- (1) B, C & E only (2) C, D & E only
- (3) A B & D only (4) **A, B & E only**

161. Match the following.

- | | |
|--------------|--------------------------|
| (a) Lipase | (i) Peptide bond |
| (b) Nuclease | (ii) Ester bond |
| (c) Protease | (iii) Glycosidic bond |
| (d) Amylase | (iv) Phosphodiester bond |

- (1) **(a)-(ii) (b)-(iv) (c)-(i) (d)-(iii)**
- (2) (a)-(iv) (b)-(i) (c)-(iii) (d)-(ii)
- (3) (a)-(iv) (b)-(ii) (c)-(iii) (d)-(i)
- (4) (a)-(iii) (b)-(ii) (c)-(i) (d)-(iv)

162. The flippers of the Penguins and Dolphins are the example of the

- (1) **Convergent evolution**
- (2) Divergent evolution
- (3) Adaptive radiation
- (4) Natural selection

163. Match the following.

- | | |
|----------------------------------|---|
| (a) Expiratory capacity | (i) Expiratory reserve volume + Tidal volume + Inspiratory reserve volume |
| (b) Functional residual capacity | (ii) Tidal volume + Expiratory reserve volume |
| (c) Vital capacity | (iii) Tidal volume + Inspiratory reserve volume |
| (d) Inspiratory capacity | (iv) Expiratory reserve volume + Residual volume |

- (1) (a)-(ii) (b)-(i) (c)-(iv) (d)-(iii)
- (2) (a)-(i) (b)-(iii) (c)-(ii) (d)-(iv)
- (3) **(a)-(ii) (b)-(iv) (c)-(i) (d)-(iii)**
- (4) (a)-(iii) (b)-(ii) (c)-(iv) (d)-(i)

164. Which one of the following factors will not affect the Hardy-Weinberg equilibrium?

- (1) Gene migration
- (2) **Constant gene pool**
- (3) Genetic recombination
- (4) Genetic drift

165. Given below are some stages of human evolution. Arrange them in correct sequence. (past to Recent)

- A. Homo habilis
- B. Homo sapiens
- C. Homo neanderthalensis
- D. Homo erectus

Choose the correct sequence of human evolution from the options in below:

- (1) C-B-D-A (2) **A-D-C-B**
- (3) D-A-C-B (4) B-A-D-C

166. Following are stages of pathway for conduction of an action potential through the heart:

- | | |
|--------------------|--------------------|
| A. AV bundle | B. Purkinje fibres |
| C. AV node | |
| D. Bundle branches | |
| E. SA node | |

Choose the correct sequence of pathway from the options given below:

- (1) B-D-E-C-A (2) E-A-D-B-C
- (3) **E-C-A-D-B** (4) A-E-C-B-D

167. Which of the following factors are favourable for the formation of oxyhaemoglobin in alveoli?

- (1) Low pCO₂ and High H⁺ concentration
- (2) Low pCO₂ and High temperature
- (3) High pO₂ and High pCO₂
- (4) **High pO₂ and Lesser H⁺ concentration**

168. Match the following.

- | | |
|--------------------------------|---------------------|
| (a) α -1 antitrypsin | (i) Cotton bollworm |
| (b) Cry IAb | (ii) ADA deficiency |
| (c) Cry IAc | (iii) Emphysema |
| (d) Enzyme replacement therapy | (iv) Corn borer |

- (1) (a)-(iii) (b)-(iv) (c)-(i) (d)-(ii)
 (2) (a)-(ii) (b)-(iv) (c)-(i) (d)-(iii)
 (3) (a)-(ii) (b)-(i) (c)-(iv) (d)-(iii)
 (4) (a)-(iii) (b)-(i) (c)-(ii) (d)-(iv)

169. Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R:


Assertion A: FSH acts upon ovarian follicles in female and Leydig cells in male.

Reason R: Growing ovarian follicles secrete estrogen in female while interstitial cells secrete androgen in human being.

In the light of the above statements, choose the correct answer from the options given below:

- (1) A is true but R is false
 (2) **A is false but R is true**
 (3) Both A and R are true and R is the correct explanation of A
 (4) Both A and R are true but R is NOT the correct explanation of A

170. The following diagram showing restriction sites in E.coli cloning vector pBR322. Find the role of 'X' and 'Y' genes



- (1) The gene 'X' is for protein involved in replication of Plasmid and 'Y' for resistance to antibiotics.
 (2) Gene 'X' is responsible for recognition sites and 'Y' is responsible for antibiotic resistance.
 (3) The gene 'X' is responsible for resistance to antibiotics and 'Y' for protein involved in the replication of Plasmid.
 (4) **The gene 'X' is responsible for controlling the copy number of the linked DNA and 'Y' for protein involved in the replication of Plasmid.**

171. Match the following.

- | | |
|---------------|-----------------------------------|
| (a) Cocaine | (i) Effective sedative in surgery |
| (b) Heroin | (ii) Cannabis sativa |
| (c) Morphine | (iii) Erythroxylum |
| (d) Marijuana | (iv) Papaver somniferum |
- (1) (a)-(ii) (b)-(i) (c)-(iii) (d)-(iv)
 (2) **(a)-(iii) (b)-(i) (c)-(iv) (d)-(ii)**
 (3) (a)-(iv) (b)-(iii) (c)-(i) (d)-(ii)
 (4) (a)-(i) (b)-(iii) (c)-(ii) (d)-(iv)

172. Consider the following statements:

- A. Annelids are true coelomates
 B. Poriferans are pseudocoelomates
 C. Aschelminthes are acoelomates
 D. Platyhelminthes are pseudocoelomates

Choose the correct answer from the options given below:

- (1) C only
 (2) D only
 (3) B only
 (4) **A only**

173. **Statement I:** In the nephron, the descending limb of loop of Henle is impermeable to water and permeable to electrolytes.
Statement II: The proximal convoluted tubule is lined by simple columnar brush border epithelium and increases the surface area for reabsorption.

- (1) I correct, II incorrect.
 (2) I incorrect, II correct.
 (3) I and II correct.
(4) I and II incorrect.

174. Match the following.

- | | |
|--------------------------|---|
| (a) Fibrous joints | (i) Adjacent vertebrae, limited movement |
| (b) Cartilaginous joints | (ii) Humerus and Pectoral girdle, rotational movement |
| (c) Hinge joints | (iii) Skull, don't allow any movement |
| (d) Ball socket joints | (iv) Knee, help in locomotion |

- (1) (a)-(ii) (b)-(iii) (c)-(i) (d)-(iv)
(2) (a)-(iii) (b)-(i) (c)-(iv) (d)-(ii)
 (3) (a)-(iv) (b)-(ii) (c)-(iii) (d)-(i)
 (4) (a)-(i) (b)-(iii) (c)-(ii) (d)-(iv)

175. Which of the following is not a natural/traditional contraceptive method?

- (1) Lactational amenorrhea
(2) Vaults
 (3) Coitus interruptus
 (4) Periodic abstinence

176. Match the following.

- | | |
|-------------------|--------------------|
| (a) Pleurobrachra | (i) Mollusca |
| (b) Radula | (ii) Ctenophora |
| (c) Stomochord | (iii) Osteichthyes |
| (d) Air bladder | (iv) Hemichordata |

- (1) (a)-(ii) (b)-(iv) (c)-(i) (d)-(iii)
 (2) (a)-(iv) (b)-(iii) (c)-(ii) (d)-(i)
 (3) (a)-(iv) (b)-(ii) (c)-(iii) (d)-(i)
(4) (a)-(ii) (b)-(i) (c)-(iv) (d)-(iii)

177. Match the following.

- | | |
|-----------------------|-------------------------|
| (a) Axoneme | (i) Centriole |
| (b) Cartwheel pattern | (ii) Cilia and flagella |
| (c) Crista | (iii) Chromosome |
| (d) Satellite | (iv) Mitochondria |

- (1) (a)-(ii) (b)-(iv) (c)-(i) (d)-(iii)
(2) (a)-(ii) (b)-(i) (c)-(iv) (d)-(iii)
 (3) (a)-(iv) (b)-(iii) (c)-(ii) (d)-(i)
 (4) (a)-(iv) (b)-(ii) (c)-(iii) (d)-(i)

178. Which of the following statements is incorrect?

- (1) Bio-reactors are used to produce small scale bacterial cultures.**
 (2) Bio-reactors have an agitator system, an oxygen delivery system and foam control system.
 (3) A bio-reactor provides optimal growth conditions for achieving the desired product.
 (4) Most commonly used bio-reactors are of stirring type.

179. Match the following.

Sub Phases of Specific characters

Prophase I

- | | |
|----------------|---|
| (a) Diakinesis | (i) Synaptonemal complex formation |
| (b) Pachytene | (ii) Completion of terminalisation of chiasmata |
| (c) Zygotene | (iii) Chromosomes look like thin threads |
| (d) Leptotene | (iv) Appearance of recombination nodules |

- (1) (a)-(ii) (b)-(iv) (c)-(i) (d)-(iii)**
 (2) (a)-(iv) (b)-(iii) (c)-(ii) (d)-(i)
 (3) (a)-(iv) (b)-(ii) (c)-(iii) (d)-(i)
 (4) (a)-(i) (b)-(ii) (c)-(iv) (d)-(iii)

180. Match the following.

- | | |
|-----------------|--------------------|
| (a) Common cold | (i) Plasmodium |
| (b) Haemozoin | (ii) Typhoid |
| (c) Widal test | (iii) Rhinoviruses |
| (d) Allergy | (iv) Dust mites |

- (1) (a)-(iii) (b)-(i) (c)-(ii) (d)-(iv)
 (2) (a)-(iv) (b)-(ii) (c)-(i) (d)-(iii)
 (3) (a)-(ii) (b)-(iv) (c)-(iii) (d)-(i)
 (4) (a)-(i) (b)-(iii) (c)-(ii) (d)-(iv)

181. Given below are two statements: One is labelled as Assertion A and the other is labelled as Reason R:

Assertion A: Breast-feeding during initial period / of infant growth is recommended by doctors for bringing a healthy baby.

Reason R: Colostrum contains several antibodies / absolutely essential develop resistance for the new born baby.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) A is correct but R is not correct
 (2) A is not correct but R is correct
 (3) **Both A and R are correct and R is the correct explanation of A**
 (4) Both A and R are correct but R is NOT the correct explanation of A

182. Match the following.

- | | |
|------------------|------------------|
| (a) Pterophyllum | (i) Hag fish |
| (b) Myxine | (ii) Saw fish |
| (c) Pristis | (iii) Angel fish |
| (d) Exocoetus | (iv) Flying fish |

- (1) (a)-(iv) (b)-(i) (c)-(ii) (d)-(iii)
 (2) (a)-(iii) (b)-(ii) (c)-(i) (d)-(iv)
 (3) (a)-(ii) (b)-(i) (c)-(iii) (d)-(iv)
 (4) **(a)-(iii) (b)-(i) (c)-(ii) (d)-(iv)**

183. The "Ti plasmid" of Agrobacterium tumefaciens stands for

- (1) **Tumor inducing plasmid**
 (2) Temperature independent plasmid
 (3) Tumour inhibiting plasmid
 (4) Tumor independent plasmid

184. Which of the following is not a component of Fallopian tube?

- (1) Infundibulum
 (2) Ampulla
 (3) **Uterine fundus**
 (4) Isthmus

185. Match the following.

- | | |
|---------------------------|-----------------------------------|
| (a) Down's syndrome | (i) 11 th chromosome |
| (b) α -Thalassemia | (ii) 'X' chromosome |
| (c) β -Thalassemia | (iii) 21 st chromosome |
| (d) Klinefelter's | (iv) 16 th chromosome |

- (1) **(a)-(iii) (b)-(i) (c)-(iv) (d)-(ii)**
 (2) (a)-(iv) (b)-(i) (c)-(ii) (d)-(iii)
 (3) (a)-(i) (b)-(ii) (c)-(iii) (d)-(iv)
 (4) (a)-(ii) (b)-(iii) (c)-(iv) (d)-(i)

SECTION - B

186. The following are the statements about non-chordates:

- A. Pharynx is perforated by gill slits.
 B. Notochord is absent.
 C. Central nervous system is dorsal.
 D. Heart is dorsal if present.
 E. Post anal tail is absent.

Choose the most appropriate answer from the option given below:

- (1) **B, D & E only**
 (2) B, C & D only
 (3) A & C only
 (4) A, B & D only

187. Match the following.

- | | |
|---------------------|-------------------------|
| (a) Mesozoic Era | (i) Lower invertebrates |
| (b) Proterozoic Era | (ii) Fish & Amphibia |
| (c) Cenozoic Era | (iii) Birds & Reptiles |
| (d) Paleozoic Era | (iv) Mammals |

- (1) (a)-(i) (b)-(ii) (c)-(iv) (d)-(iii)
(2) (a)-(iii) (b)-(i) (c)-(ii) (d)-(iv)
 (3) (a)-(ii) (b)-(i) (c)-(iii) (d)-(iv)
 (4) (a)-(iii) (b)-(i) (c)-(ii) (d)-(iv)


188. Given below are two statements:

Statement I: The cerebral hemispheres are connected by nerve tract known as corpus callosum.

Statement II: The brain stem consists medulla oblongata, pons and cerebrum.

- (1) I correct, II incorrect.**
 (2) I incorrect, II correct.
 (3) I and II correct.
 (4) I and II incorrect.

189. Identify the correct option (A), (B), (C), (D) with respect to spermatogenesis.



- (1) FSH, Sertoli cells, Leydig cells, spermatogenesis.
 (2) ICSH, Leydig cells, Sertoli cells, spermatogenesis.
(3) FSH, Leydig cells, Sertoli cells, spermiogenesis.
 (4) ICSH, Interstitial cells, Leydig cells, spermiogenesis.

190. Match the following.

- | | |
|----------------------------------|-------------------|
| (a) RNA polymerase III | (i) snRNPs |
| (b) Termination of transcription | (ii) Promotor |
| (c) Splicing of Exons | (iii) Rho factor |
| (d) TATA box | (iv) SnRNAs, tRNA |

- (1) (a)-(iii) (b)-(iv) (c)-(i) (d)-(ii)
(2) (a)-(iv) (b)-(iii) (c)-(i) (d)-(ii)
 (3) (a)-(ii) (b)-(iv) (c)-(i) (d)-(iii)
 (4) (a)-(iii) (b)-(ii) (c)-(iv) (d)-(i)

191. Match the following.

- | | |
|-------------------------|--|
| (a) Exophthalmic goiter | (i) Excess secretion of cortisol, moon face & hyperglycemia |
| (b) Acromegaly | (ii) Hypo-secretion of thyroid hormone and stunted growth. |
| (c) Cushing's syndrome | (iii) Hyper secretion of thyroid hormone & protruding eye balls. |
| (d) Cretinism | (iv) Excessive secretion of growth hormone. |

- (1) (a)-(iii) (b)-(iv) (c)-(ii) (d)-(i)
(2) (a)-(iii) (b)-(iv) (c)-(i) (d)-(ii)
 (3) (a)-(i) (b)-(iii) (c)-(ii) (d)-(iv)
 (4) (a)-(iv) (b)-(ii) (c)-(i) (d)-(iii)

192. Match the following.

- | | |
|--|--|
| (a) Unicellular glandular epithelium | (i) Salivary glands |
| (b) Compound epithelium | (ii) Pancreas |
| (c) Multicellular glandular epithelium | (iii) Goblet cells of alimentary canal |

- (d) Endocrine glandular epithelium (iv) Moist surface of buccal cavity

- (1) (a)-(iii) (b)-(iv) (c)-(i) (d)-(ii)
 (2) (a)-(ii) (b)-(i) (c)-(iv) (d)-(iii)
 (3) (a)-(ii) (b)-(i) (c)-(iii) (d)-(iv)
 (4) (a)-(iv) (b)-(iii) (c)-(i) (d)-(ii)

193. Statement I: Bone marrow is the main lymphoid organ where all blood cells including lymphocytes are produced.

Statement II: Both bone marrow and thymus provide micro environments for the development and maturation of T-lymphocytes.

- (1) I correct, II incorrect.
 (2) I incorrect, II correct.
(3) I and II correct.
 (4) I and II incorrect.

194. Match the following related to digestive system of cockroach.

- | | |
|--|--------------------|
| (a) The structures used for storing of food. | (i) Gizzard |
| (b) Ring of 6-8 blind tubules at junction of foregut and midgut. | (ii) Gastric Caeca |
| (c) Ring of 100-150 yellow coloured thin tubules filaments at junction midgut and hindgut. | (iii) Malpighian |
| (d) The structures used for grinding the food. | (iv) Crop |

- (1) (a)-(iv) (b)-(iii) (c)-(ii) (d)-(i)
 (2) (a)-(iii) (b)-(ii) (c)-(iv) (d)-(i)
(3) (a)-(iv) (b)-(ii) (c)-(iii) (d)-(i)
 (4) (a)-(i) (b)-(ii) (c)-(iii) (d)-(iv)

195. Choose the correct statement given below regarding juxta medullary nephron.

- (1) Loop of Henle of juxta medullary nephron runs deep into medulla.**
 (2) Juxta medullary nephrons outnumber the cortical nephrons.
 (3) Juxta medullary nephrons are located in the columns of Bertini.
 (4) Renal corpuscle of juxta medullary nephron lies in the or portion of the renal medulla.

196. Match the following.

- | | |
|-----------------|--|
| (a) P wave | (i) Heart muscles are electrically silent. |
| (b) QRS complex | (ii) Depolarisation of ventricles. |
| (c) T wave | (iii) Depolarisation of atria. |
| (d) T-P gap | (iv) Repolarisation of ventricles. |

- (1) (a)-(ii) (b)-(iii) (c)-(i) (d)-(iv)
 (2) (a)-(iv) (b)-(ii) (c)-(i) (d)-(iii)
 (3) (a)-(i) (b)-(iii) (c)-(iv) (d)-(ii)
(4) (a)-(iii) (b)-(ii) (c)-(iv) (d)-(i)

197. As per ABO blood grouping system, the blood group of father is B⁺, mother is A⁺ and child is O⁺. Their respective genotype can be A.

- A. I^Bi/I^Ai/ii
 B. I^Bi^B/I^Ai^A/ii
 C. I^Ai^B/iI^A/I^Bi
 D. iI^B/iI^A/I^AI^B

Choose the most appropriate answer from the options given below:

- (1) C & B only
 (2) D & E only
(3) A only
 (4) B only

198. Statement I: Gause's competitive exclusion principle states that two closely related species competing for different resources cannot exist indefinitely.

Statement II: According to Gause's principle, during competition, the inferior will be eliminated. This may be true if resources are limiting.

(1) I correct, II incorrect.

(2) I incorrect, II correct.

(3) I and II correct.

(4) I and II incorrect.

199. Regarding catalytic cycle of an enzyme action select the correct sequential steps:

A. Substrate enzyme complex formation.

B. Free enzyme ready to bind with another substrate.

C. Release of products.

D. Chemical bonds of the substrate broken.

E. Substrate binding to active site


Choose the correct answer from the options give below:

(1) B, A, D, E

(2) E, D, C, B, A

(3) E, A, D, C, B

(4) A, E, B, D, C



200. Statement I: Mitochondria and chloroplasts both double membranes bound organelles.

Statement II: Inner membrane of mitochondria is relatively less permeable, as compared chloroplast.

(1) I correct, II incorrect.

(2) I incorrect, II correct.

(3) I and II correct.

(4) I and II incorrect.